## **Service Manual**



# 8061

Section 1 - General Information

Section 2 - Care and Safety

Section 3 - Maintenance

Section A - Attachments

Section B - Body and Framework

Section C - Electrics


Section D - Controls

Section E - Hydraulics

Section F - Gearboxes

Section J - Track and Running Gear

Section K - Engine



Publication No. **9813/1750-1** 



Copyright © 2004 JCB SERVICE. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any other means, electronic, mechanical, photocopying or otherwise, without prior permission from JCB SERVICE.

World Class Customer Support

## **Section 1**



# **General Information**

Section 1 - General Information

Section 2 - Care and Safety

Section 3 - Maintenance

Section A - Attachments

Section B - Body and Framework

Section C - Electrics


Section D - Controls

Section E - Hydraulics

Section F - Gearboxes

Section J - Track and Running Gear

Section K - Engine



Publication No. **9813/1750-1** 



Copyright © 2004 JCB SERVICE. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any other means, electronic, mechanical, photocopying or otherwise, without prior permission from JCB SERVICE.

World Class Customer Support



#### **Section 1 - General Information**

Notes:		



# **Section 1 - General Information**

Contents	Page No.
Introduction	
About this Publication	1 - 1
Schematic Codes	1 - 2
Identification Plates	
Identifying Your Machine	1 - 3
Standard Torque Settings	
Zinc Plated Fasteners and Dacromet Fasteners	1 - 5
Hydraulic Connections	1 - 9
Service Tools	
Numerical List	
Tool Detail Reference	1 - 16
Service Consumables	
Sealing and Retaining Compounds	1 - 29

1-i 1-i



# **Section 1 - General Information**

Contents Page No.

1-ii 1-ii

It's a preview. You can download the full file by clicking the link below.

# https://shopservicemanual.com/

Service Manuals from 2\$