

**SERVICE MANUAL**  
**TRACTORS**  
**MX100, MX110**  
**MX120 MX135**  
**Series**

**Binder 1**

---

7-65907

1. Trim along dashed line.
2. Slide into pocket on Binder Spine.

TYPE 1-4

**SERVICE MANUAL**  
**TRACTORS**  
**MX100, MX110**  
**MX120 MX135**  
**Series**

**Binder 1**

---

7-65907

1. Trim along dashed line.
2. Slide into pocket on Binder Spine.

TYPE 1-4

**SERVICE MANUAL**  
**TRACTORS**  
**MX100, MX110**  
**MX120, MX135**  
**Series**

**Binder 2**

---

7-65907

1. Trim along dashed line.
2. Slide into pocket on Binder Spine.

TYPE 1-4

**SERVICE MANUAL**  
**TRACTORS**  
**MX100, MX110**  
**MX120, MX135**  
**Series**

**Binder 2**

---

7-65907

1. Trim along dashed line.
2. Slide into pocket on Binder Spine.

TYPE 1-4

# MX100, MX110, MX120 and MX135 Tractors

## Service Manual Don 7-65907

### Table of Contents

**Binder 1 Contains Tabs 1 to 6**  
**Binder 2 Contains Tabs 7 to 10**

	Section	Pub. No.
<b>1 GENERAL</b>		
Loctite Product Chart		8-98902
Safety Rules, General Information and Torque Specifications.....	1001	8-86531
General Specifications and Torques .....	1002	7-39021
Special Tools .....	1005	7-73502
<b>2 ENGINE</b>		
<b>NOTE:</b> For Service and Overhaul procedures refer to your Engine Service Manual.		
<b>3 FUEL SYSTEM</b>		
Fuel Tank Removal and Servicing .....	3005	7-73330
<b>4 ELECTRICAL</b>		
Electrical Troubleshooting and Schematics .....	4001	7-73650
Instrument Cluster Programming .....	4002	7-71332
Battery Servicing and Testing .....	4004	7-73211
Alternator .....	4008	7-68501
<b>5 STEERING</b>		
How It Works .....	5	7-72230
Steering Column and Steering Hand Pump .....	5001	7-72241
Danfoss Steering Hand Pump .....	5002	7-73341
Eaton Steering Hand Pump.....	5002	7-73351
Rexroth Steering Hand Pump .....	5002	7-73960
2WD Front Axle .....	5003	7-73220
<b>6 TRANSMISSION</b>		
How It Works .....	6	7-72260
Separating the Tractor (Between Engine and Speed Transmission) .....	6002	7-66060
Separating the Tractor (Between Speed and Range Transmission) .....	6003	7-66070
Transmission Input Drive Shaft and Torque Dampener .....	6004	7-66080
Servicing the Synchromesh Speed Transmission .....	6005	7-66090
Servicing the Powershift Transmission .....	6006	7-66100
Servicing the Range Transmission .....	6007	7-66111
Powershift Valve.....	6009	7-66131
Shuttle Valve .....	6010	7-66141
Synchronizer Creep Transmission .....	6011	7-66150

continued ....

**NOTE:** Information contained in this Manual may cover features that are not available in all markets worldwide.

**CASE CORPORATION**  
 700 State Street  
 Racine, WI 53404 U.S.A.

**CASE CANADA CORPORATION**  
 3350 South Service Road  
 Burlington, ON L7N 3M6 CANADA

**Reprinted**

Copyright © 2000 Case Corporation  
 Printed in U.S.A.  
 December 1996 (Revised October 2000)

Don 7-65917

Differential and Differential Lock .....	6012	7-66161
MFD Drive Shaft .....	6014	7-66170
MFD Output Shaft and Bearing.....	6015	7-67821
MFD Clutch .....	6017	7-66180
Rear Axles and Planetaries .....	6018	7-66190
PTO - Reversible and Shiftable .....	6019	7-66201
MFD Axle .....	6021	7-66210
Independent Front Suspension Axle.....	6022	7-73530
PTO Front Drive Shaft and Hydraulic Pump Drive Gear up to Transmission Serial Number JKA118657 .....	6023	7-66221
PTO Front Drive Shaft and Hydraulic Pump Drive Gear from Transmission Serial Number JKA118658.....	6023	7-72710
<b>7 BRAKES</b>		
How It Works.....	7	7-72380
Parking Brake .....	7001	7-66240
Service Brakes.....	7002	7-66251
Hydraulic Trailer Brake Valve .....	7004	7-67711
<b>8 HYDRAULICS</b>		
How it Works.....	8	7-72320
How to Read Hydraulic Schematics.....	8000	8-94372
Hydraulic Troubleshooting and Schematic .....	8001	7-73630
Hydraulic Pump.....	8002	7-73230
Charge Pump/Transfer Pump.....	8003	7-66290
Hydraulic Valves .....	8006	7-66331
Front Hitch .....	8007	7-73240
Remote Valves.....	8008	7-73250
Hydraulic Schematic Poster.....		7-67150
<b>9 CHASSIS AND MOUNTED EQUIPMENT</b>		
Pedal, Lever Adjustments .....	9001	7-66351
Air Conditioner Troubleshooting (Visual and Operating) .....	9002	7-85050
Air Conditioner Gauges and Testing.....	9003	7-85060
Air Conditioner System Service (Refrigerant Recovery, System Evacuation and Recharging) .....	9004	7-85070
Air Conditioner System Components Service.....	9005	7-85080
Cab Removal and Tilting the Cab Roof .....	9006	7-73260
Platform and ROPS Removal .....	9007	7-73270
Cab Mountings.....	9008	7-73300
<b>10 CONTROLLER SYSTEMS</b>		
Hitch/MFD/Differential Lock Controller Calibration, Error Codes and Schematics up to PIN JJE956905 (Europe) or PIN JJA96840 (North America) .....	10002	7-73290
Hitch/MFD/Differential Lock Controller Calibration, Error Codes and Schematics from PIN JJE956906 (Europe) or PIN JJA96841 (North America) .....	10002	7-73542
Independent Front Suspension Axle Calibration, Error Codes, Troubleshooting and Schematics.....	10003	7-73900
PTO/FNR Controller and Powershift Configuration, Error Codes and Schematics .....	10006	7-73281
Programming the PTO/FNR Controller and Hitch/MFD/Differential Lock Controller.....	10010	7-74001

# LOCTITE PRODUCT CHART

Product	Color	Similar Products	Gap (In Inches)	Strength (Steel/Steel)	Working Temperature Range-Fahrenheit	Fixture/Full Cure (Steel/Steel) Time	Primer	Description
#3	Dark Brown					24 hr	N/A	Form a Gasket (works with oil, fuel or grease) Pliable
80	Yellow					Fast	N/A	Weatherstrip Adhesive
123	Clear					N/A	N/A	Parts Cleaner Fluid
220	Blue	290	0.003	57/143 in lbs	-65 to +250	6 min/24 hrs	747	Wicking Threadlocker
221	Purple	222	0.005	75/44 in lbs	-65 to +300	2 min/24 hrs	747	Low Strength Threadlocker
222	Purple		0.005	53/30 in lbs	-65 to +300	20 min/24 hrs	764	Low Strength Threadlocker (Small Screws)
225	Brown	222	0.010	45/25 in lbs	-65 to +300	7 min/24 hrs	747	Low Strength Threadlocker
242	Blue		0.005	80/50 in lbs	-65 to +300	10 min/24 hrs	764	Medium Strength Threadlocker
262	Red	271	0.005	160/190 in lbs	-65 to +300	5 min/24 hrs	747	High Strength Threadlocker
270	Green	271	0.007	160/320 in lbs	-65 to +300	3 min/24 hrs	747	High Strength Threadlocker
271	Red	262	0.007	160/320 in lbs	-65 to +300	10 min/24 hrs	764	High Strength Threadlocker
272	Red	620	0.007	180/220 in lbs	-65 to +450	30 min/24 hrs	764	High Temperature, High Strength
275	Green	277	0.010	210/300 in lbs	-65 to +300	3 min/24 hrs	747	High Strength Threadlocker
277	Red		0.010	225/300 in lbs	-65 to +300	60 min/24 hrs	764	High Strength Threadlocker
290	Green		0.003	85/350 in lbs	-65 to +300	6 min/24 hrs	764	Wicking Threadlocker
*404	Clear	495	0.006	3200 psi	-65 to +180	30 sec/24 hrs	NA	Instant Adhesive
*406	Clear		0.004	3200 psi	-65 to +180	15 sec/24 hrs	N/A	Surface Insensitive Adhesive
*409	Clear	454	0.008	2500 psi	-65 to +180	50 sec/24 hrs	N/A	Gel Instant Adhesive
*414	Clear		0.006	2500 psi	-65 to +180	30 sec/24 hr	N/A	Instant Adhesive
*415	Clear	454	0.010	2500 psi	-65 to +180	50 sec/24 hrs	N/A	Gap Filling Instant Adhesive (Metals)
*416	Clear	454	0.010	2500 psi	-65 to +180	50 sec/24 hrs	N/A	Gap Filling Instant Adhesive (Plastics)
*420	Clear		0.002	2500 psi	-65 to +180	15 sec/24 hrs	N/A	Wicking Instant Adhesive
*422	Clear	454	0.020	2800 psi	-65 to +180	60 sec/24 hrs	N/A	Gap Filling Instant Adhesive
*430	Clear		0.005	2500 psi	-65 to +180	20 sec/24 hrs	N/A	Metal Bonding Adhesive
*445	White/Black		0.250	2000 psi	-65 to +180	5 min/24 hrs	N/A	Fast Setting 2 Part Epoxy
*454	Clear		0.010	3200 psi	-65 to +180	15 sec/24 hrs	N/A	Surface Insensitive Gen Instant Adhesive
*495	Clear		0.004	2500 psi	-65 to +180	20 sec/24 hrs	N/A	General Purpose Instant Adhesive
*496	Clear		0.005	2500 psi	-65 to +180	20 sec/24 hrs	N/A	Metal Bonding Adhesive
504	Brt Orange	515	0.030	750 psi	-65 to +300	90 min/24 hrs	None	Rigid Gasket Eliminator
509	Light Blue		0.020	750 psi	-65 to +320	6 hr/72 hrs	764	Flange Sealant
510	Red		0.020	1000 psi	-65 to +400	30 min/24 hrs	764	High Temperature, Gasket Eliminator
515	Purple		0.010	750 psi	-65 to +300	1 hr/24 hrs	764	Gasket Eliminator 515

Rac 8-98902

\* Products 404-496 (except for #445) are all instant adhesives (super glues) they differ mostly in viscosity

Printed in U.S.A.

# LOCTITE PRODUCT CHART

Product	Color	Similar Products	Gap (In Inches)	Strength (Steel/Steel)	Working Temperature Range-Fahrenheit	Fixture/Full Cure (Steel/Steel) Time	Primer	Description
518	Red	515	0.030	500psi	-65 to +300	1 hr/24 hrs	764	Gasket Eliminator 518 for Aluminum
542	Brown	569	N/A	132/92 in lbs	-65 to +300	2 hr/24 hrs	747	Hydraulic Sealant
545	Purple		N/A	25/20 in lbs	-65 to +300	4 hr/24 hrs	747	Low Strength Pneumatic/Hydraulic Sealant
549	Orange	504	0.020	2500 psi	-65 to +300	2 hr/24 hrs	747	Instant Seal Plastic Gasket
554	Red	277	0.015	240/240 in lbs	-65 to +300	2 to 4 hrs/24 hrs	764	Refrigerant Sealant
567	White	592	N/A	500 psi	-65 to +400	4 hrs/24 hrs	764	Pipe Sealant for Stainless Steel
568	Orange	277	0.015	2500 psi	-65 to +300	12 hrs/24 hrs	764	Plastic Gasket
569	Brown	545	0.010	40/25 in lbs	-65 to +300	1 hr/24 hrs	764	Hydraulic Sealant
570	Brown	592	N/A	25/40 in lbs	-65 to +300	6 hrs/72 hrs	764	Steam Sealant
571	Brown	592	0.015	40/20 in lbs	-65 to +300	2 to 4 hrs/24 hrs	764	Pipe Sealant
572	White	578.575	N/A	80/27 in lbs	-65 to +300	24 hrs/72 hrs	None	Gasketing
592	White		0.020	500 psi	-65 to +400	4 hrs/72 hrs	736	Pipe Sealant with Teflon
593	Black		0.250	400 psi	-95 to +400	30 min/24 hrs	N/A	RTV Silicone
601	Green	609	0.005	3000 psi	-65 to +300	10 min/24 hrs	764	Current PIN #609
609	Green		0.005	3000 psi	-65 to +300	10 min/24 hrs	764	General Purpose Retaining Compound
620	Green	640	0.015	3000 psi	-65 to +450	30 min/24 hrs	747	High Temperature Retaining Compound
635	Green	680	0.010	4000 psi	-65 to +300	1 hr/24 hrs	747	High Strength Retaining Compound
638	Green	680	0.015	4100 psi	-65 to +300	10 min/24 hrs	747	High Strength Retaining Compound
640	Green	620	0.007	3000 psi	-65 to +400	1 hr/24 hrs	747	High Temperature Retaining Compound
660	Silver		0.020	3000 psi	-65 to +300	20 min/24 hrs	764	Quick Metal
675	Green	609	0.005	3000 psi	-65 to +300	20 min/24 hrs	747	General Purpose Retaining Compound
680	Green	635	0.015	4000 psi	-65 to +300	10 min/24 hrs	747	High Strength Retaining Compound
706	Clear	755	N/A	N/A	N/A	N/A	N/A	Cleaning Solvent
707	Amber		N/A	N/A	N/A	N/A	N/A	Activator for Structural Adhesives
736	Amber		N/A	N/A	N/A	N/A	N/A	Primer NF
738	Amber		N/A	N/A	N/A	N/A	N/A	Depend Activator
747	Yellow	N/A	N/A	N/A	N/A	N/A	N/A	Primer T
751	Clear		N/A	N/A	N/A	N/A	N/A	Activator for Structural Adhesives
755	Clear		N/A	N/A	N/A	N/A	N/A	Cleaning Solvent
764	Green		N/A	N/A	N/A	N/A	N/A	Primer N
767	Silver		N/A	N/A	-65 to +1600	N/A	N/A	Anti-Seize Lubricant

It's a preview. You can download the full file by clicking the link below.

<https://shopservicemanual.com/>

Service Manuals from 2\$