

WORKSHOP MANUAL BRUSH CUTTER

DM262-S, DM262-W, DH264-S, DH264-W, DM332-S, DM332-W

Kubota

KiSC issued 03, 2014 A

TO THE READER

This Workshop Manual tells the servicing personnel about the mechanism, servicing and maintenance of Kubota Brush Cutters model DM262-S, DM262-W, DH264-S, DH264-W and DM332-S, DM332-W. It contains 3 parts: **"Information"** and **"Maintenance and servicing"** and **"Engine"**.

Information

This section primarily contains information below.

- Safety First
- Safety Operation
- Safety Decal
- Specifications

Maintenance and servicing

This section primarily contains information below.

- Identification
- General Precautions
- Check List
- Check and Maintenance
- · Disassembling and assembling

Engine

This section primarily contains information about Mitubishi Meiki engine for DM262-S, DM262-W and DM332-S, DM332-W.

- · General description
- Handling engine
- Service data
- · Inspection and adjustment procedure
- · Overhaul, disassembly and assembly

All illustrations, photographs and specifications contained in this manual are of the newest information available at the time of publication.

KUBOTA reserves the right to change all information at any time without notice.

Since this manual includes many models, information or illustrations and photographs can show more than one model.

March, 2014

© KUBOTA Corporation 2014

KiSC issued 03, 2014 A

INFORMATION

CONTENTS

1.	SAFETY FIRST	. I-1
	[1] SAFETY SERVICING AND REPAIRING	
	[2] SAFETY OPERATION	. I-2
	(1) Before Operation	. I-2
	(2) OPERATION	. I-2
2.	SAFETY DECALS	
	SPECIFICATIONS	

KiSC issued 03, 2014 A

1. SAFETY FIRST

A SAFETY FIRST

- This symbol, the industry's "Safety Alert Symbol", is used throughout this manual and on labels on the machine itself to warn of the possibility of personal injury. Read these instructions carefully.
- It is essential that you read the instructions and safety regulations before you try to repair or use this unit.

Indicates an imminently hazardous situation which, if not avoided, will result in death or serious injury.

• Indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury.

 Indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury.

■ IMPORTANT

• Indicates that equipment or property damage could result if instructions are not followed.

■ NOTE

• Gives helpful information.

[1] SAFETY SERVICING AND REPAIRING

WSM000001INI0001US1

- 1. Before working on the machine:
 - Stop the engine, and remove the spark plug cap.
 - Clean the work area and machine.
- 2. Do not work on the machine while under the influence of alcohol, medication, or other substances or while fatigued.
- 3. Do not wear a necktie, scarf, necklace, loose or bulky clothing when you work near machine tools or moving parts.
- 4. Use tools appropriate to the work. Makeshift tools, parts, and procedures will not make good repairs.
- 5. When servicing is performed together by two or more persons, take care to perform all work safety.
- 6. If the engine must be running to do same work, make sure the area is well ventilated. Never run the engine in a closed area. The exhaust gas contains poisonous carbon monoxide.
- 7. Do not touch the rotating or hot parts and high voltage cord while the engine is running.
- 8. Fuel is extremely flammable and explosive under certain conditions. Do not smoke or allow flames or sparks in your working area.
- 9. Unauthorized modifications to the machine may impair the function and/or safety and affect machine life.
- 10. Do not after or remove any part of machine safety system.

11. Keep a first aid kit and fire extinguisher handy at all times.

9Y1211050INI0004US0

It's a preview. You can download the full file by clicking the link below.

https://shopservicemanual.com/

Service Manuals from 2\$